

CERTIFICATE OF CONFORMITY

This Certificate is issued to

DYNTEK PTE LTD

(UEN No.: 199800617H)

100 Pasir Panjang Rd #06-06 Singapore 118518

For Product Certification Scheme: Type 2

Product : Material for Wall/Ceiling/Floor Construction

Brand : Dyntek

Model : Stiflex™

Country of Origin : Malaysia

Product Details : Steel stiffeners and lintels with powder coating that are used in AAC block wall, brick wall, proprietary concrete block & panel system.
Steel Material Thickness: Approximately 2.0 mm
Mass per unit area for steel stiffener and lintel: 15 kg/m²
Fire Classification: Class 0

which has complied with the requirements of the scheme based on the following:

STANDARD(S)

BS 476 Part 7: 1997
BS 476 Part 6: 1989 + A1: 2009

TEST REPORT(S)

SIRIM Test Report No.: 2019FE0356
SIRIM Test Report No.: 2019FE0357

Detailed configuration and installation shall be referenced to the certified report(s) stated above.

ANY UNAUTHORISED USAGE OF THIS COC DEVIATED FROM ITS INTENDED MEAN AND WITHOUT PERMISSION FROM DYNTEK SHALL RENDER IT AS INVALID.



Dixon Ng (Mr)
Program Manager
SETSCO Services Pte Ltd
531 Bukit Batok Street 23,
Singapore 659547

Certificate No
FSP-2019-0893

Date of Issue
15/10/2019

Date of Last Revision
28/12/2021

Date of Expiry
14/10/2024

This Certificate is part of full report and should be read in conjunction with it. This Certificate remains the property of SETSCO Services Pte Ltd (SETSCO) and shall be returned upon request. The use of this Certificate is subjected to the terms and conditions of the SETSCO Product Certification Scheme. The manufacturer is solely responsible for the compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking it at www.setsco.com

The use of the SAC accreditation mark indicates accreditation in respect of those activities covered by the accreditation certificate number PD-2010-10.